**CERTIFICATE OF MAILING** 

EBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE C.S. POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450

Sherry J. Reonards

Sherry L Leonardi

April 27, 2006

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Xingen Dong

Serial No. : 10/802,278

Filing Date : March 17, 2004

For : HOUSING WITH MULTIPLE CASE

DRAIN PORTS FOR

HYDROSTATIC TRANSMISSION

**PUMPS** 

Group Art Unit : 3745

Examiner : Michael Leslie

Attorney Docket No. : 2802-107-026

Customer No. : 24045

## <u>AMENDMENT</u>

Commissioner for Patents Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated November 30, 2005, please amend the above-identified patent application as follows:

Amendments to the Claims are reflected in the listing of claims that begins on page 2 of this paper.

Remarks begin on page 5 of this paper.

DW